

CLEARALIQUE 2% Or 4% (FORTE) Cream

Composition:-

Each gram of **CLEARALIQUE 2%** cream contains: Hydroquinone 20 mg

Each gram of **CLEARALIQUE 4% (forte)** cream contains: Hydroquinone 40 mg

Mode of action:-

CLEARALIQUE cream cause reversible depigmentation of the skin by inhibition of the enzymatic oxidation of tyrosine to 3-(3,4-dihydroxyphenyl) alanine (dopa) and suppression of other melanocyte metabolic processes. Exposure to sunlight or ultraviolet rays will cause repigmentation of the bleached areas.

Indications:-

CLEARALIQUE Cream is indicated for the gradual treatment of ultraviolet induced dyschromia and discoloration resulting from the use of oral contraceptives, pregnancy, hormone replacement therapy or skin trauma.

Contraindications:-

Hypersensitivity to Hydroquinone.

Warnings:-

- The cream should be tested on small area of the skin before starting therapy to avoid any hypersensitivity reaction.
- Contact with eyes should be avoided.
- The drug is not used for the prevention of sunburn.

Precautions:-

- Treatment should be limited to relatively small areas of the body at one time since a few of patients may rarely experience a transient skin reddening and a mild burning sensation which does not preclude treatment.
- This drug should be used by pregnant woman, only when it is clearly prescribed through the physician.
- Safety in pediatric patients below age of 12 years has not been established.
- After bleaching and during maintenance therapy, sun exposure should be avoided by application of a sunscreen or sun block agent or protective clothing to prevent repigmentation of the bleached area of skin.
- The treatment should not exceed 2- 4 months.

Side effects:-

No systemic adverse reactions have been reported. Occasional hypersensitivity (in the form of localized contact dermatitis) may occur, in such case the medication should be discontinued and the physician must be notified immediately.

Dosage and Administration:-

- **CLEARALIQUE** cream should be applied to the affected area and rubbed-in well, twice daily or as directed by physician.
- Skin bleaching is observed within four weeks or more after starting treatment with **CLEARALIQUE**. After obtaining the satisfactory result, treatment with **CLEARALIQUE** should be continued with smaller amounts for a certain period of time as directed by the physician in order to keep this result.

Storage:-

Store at room temperature.

Package:-

Tube containing 30 gm.

Keep out of the reach of children



Produced by
DELTA PHARMA S.A.E
Tenth of Ramadan City, A.R.E.